


# GE TUNGSRAM™

Innovation is our heritage  
EST. 1896



3750

kWh/1000h

B

energy class

7

lumens/watt

## Single Ended Halogen

CP58 230-240V

88878

### Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

### Application areas



Film and Broadcast



Theatre



## Product data

Product Code	88878
Light Center Length [mm]	143
Bulb Shape	Globe
Bulb Diameter [mm]	70
Maximum Overall Length [mm]	220
Net weight per piece [g]	213
Gross weight per piece [g]	600
Brand	GE Lighting
Cap/Base	GX38q

## Performance data

Rated Lumens [lm]	86000
Weighted energy consumption [kWh/1000h]	3750.0
Energy efficiency class (EEC)	B
Rated Life [h]	300
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	27000
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Rated power [W]	3750.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	3750
Nominal lamp voltage [V]	240

## Logistic data

DUN Code	10043168888780
EAN Code	0043168888783
Pack Quantity	1
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	18 EUR, 23 UK
Layer quantity EUR	18
Layer quantity UK	23
Pallet quantity EUR (PC)	126
Pallet quantity UK (PC)	161
Outer case size	340 x 135 x 140 (mm)
Product status	Phased-out

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination