

64818 20000 W 230 V

Halogen studio lamps, single-ended



Areas of application

- Professional film and TV work
- Theater and concert stages
- Entertainment

Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)



Product datasheet

Technical data

Product information

| | |
|-----------------|-------|
| Order reference | 64818 |
|-----------------|-------|


Electrical data

| | |
|-----------------|------------|
| Nominal wattage | 20000.00 W |
| Nominal voltage | 230 V |

Photometrical data

| | |
|--------------------------|-----|
| Color rendering index Ra | 100 |
|--------------------------|-----|

Dimensions & weight



| | |
|---------------------------|---------------|
| Diameter | 100.0 mm |
| Length | 550.0 mm |
| Light center length (LCL) | 354.0 mm |
| Illuminated field | 67.0°50.0 mm² |
| Filament diameter | 50.0 mm |

Lifespan

| | |
|----------|-------|
| Lifespan | 350 h |
|----------|-------|

Additional product data

| | |
|-----------------------------|-----|
| Base (standard designation) | G38 |
|-----------------------------|-----|

Capabilities

| | |
|------------------|-------|
| Burning position | Other |
|------------------|-------|

Country specific categorizations

Product datasheet

| | |
|-----------------|-------|
| ANSI code | Other |
| LIF | CP/99 |
| Order reference | 64818 |

Logistical data

| | |
|----------------------------------|---------------|
| EAN 10 of contained light source | 4008321792051 |
|----------------------------------|---------------|

Environmental information

| | |
|---|------------------------------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
| Date of Declaration | 25-04-2022 |
| Primary Article Identifier | 4050300782713 4008321792051 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|------------------------|---------------------------------|---|------------------------|--------------|
| 4008321792051 | 64818 20000 W 230 V | Folding carton box 1 | 718 mm x 275 mm x 277 mm | 54.69 dm ³ | 2402.00 g |
| 4008321792068 | 64818 20000 W 230 V | Shipping carton box 4 | 680 mm x 663 mm x 853 mm | 384.57 dm ³ | 14703.00 g |
| 4050300782713 | 64818 20000 W 230 V | Folding carton box 1 | - x - x - | | |
| 4050300782720 | 64818 20000 W 230 V | Shipping carton box 6 | 800 mm x 800 mm x 560 mm | 358.40 dm ³ | 12744.15 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

A summary of studio lamps can be found on the halogen studio lamps poster.
For more information on halogen lamps for studio, stage and TV see the brochure:
"Good news for show business"
"Halogen High Voltage Lamps" cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.