



GENERAL INFORMATION

Eos Programming Wing can be used as a facepanel remote for ETCnomad (either PC or Mac) or ETCnomad Puck.

It can also be used as a programming surface for the Eos and Ion Remote Processor Units (RPU) and the Remote Video Interfaces (RVI and RVI3). It cannot be used on any ETC hardware that has a dedicated facepanel, and connected devices must be running Windows 7 or later / Mac OS X El mCapitan (10.11) or later. The Eos Programming Wing is not compatible with Windows XP or earlier Microsoft operating systems. The wing provides power sensing and automatically turns on when both an active USB data connection and mains power is provided via the external in-line 12V power supply.

FEATURES

- Same keypad layout as Gio
- Backlit keys
- Master Fader Pair
- Four physical DMX512A/RDM ports
- Contact Closure Trigger
- Two Powered USB ports for connectivity
- One USB port to store and secure an ETCnomad Dongle
 - One Littlite desklight connection
- VESA 100x100mm mountable
- Provides a Kensington Lock compatible locking point

INTERFACES

- AC Input 100 - 240VAC at 50/60Hz (via external power supply)
- Four DMX512A/RDM ports
- Three USB ports
- Contact Closure Trigger

ORDERING INFORMATION

Eos Programming Wing

PART NO.	DESCRIPTION
4240A1020-EU	Eos Programming Wing

Eos Programming Wing Accessories

PART NO.	DESCRIPTION
4240A1021-EU	Eos Motorized Fader Wing 10
4240A1022-EU	Eos Motorized Fader Wing 20
4240A1023-EU	Eos Standard Fader Wing 20
4240A1024-EU	Eos Standard Fader Wing 40
4250A1122	ETCpad - Portable Access Device
I1916	Eos Progr. Wing/Ion Xe Pelican Flight Case
I1962	Eos Progr. Wing/Ion Xe Pelican Flight Case w. additional space for Fader Wing 20

Ships with

- External Power supply
- IEC to UK13A and IEC to Schuko power cords
- Dust cover
- USB cable

NOTE: The Eos Programming Wing cannot be connected to a host computer using a KVM switch.

PHYSICAL

Eos Programming Wing Dimensions*

MODEL	HEIGHT	WIDTH	DEPTH
	mm	mm	mm
Eos PGW	103	497	362
Eos PGW with Flight Case	32	81	52

Eos Programming Wing Weights*

MODEL	WEIGHT	SHIPPING WEIGHT
	kgs	kgs
Eos PGW	4.5	7.3

*Weights and dimensions typical

