


GE TUNGSRAM™

Innovation is our heritage
EST. 1896



1000

kWh/1000h

B

energy class

25

lumens/watt

Single Ended Halogen

GAD 240V 1000W

93082619

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas



Film and Broadcast



Theatre



Product data

Light Center Length [mm]	46.5
Product Code	93082619
Bulb Shape	Tubular
Bulb Diameter [mm]	23
Maximum Overall Length [mm]	88
Net weight per piece [g]	28
Gross weight per piece [g]	150
Dimmability	Yes
Brand	GE Lighting
Cap/Base	GY9.5

Performance data

Rated Lumens [lm]	25000
Weighted energy consumption [kWh/1000h]	1000
Energy efficiency class (EEC)	B
Rated Life [h]	250
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	25000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	1000.0
Coil type	C-13D
Dimming Capability	Yes
Ballast Required	No
Nominal lamp voltage range [V]	240
Nominal power [W]	1000
Nominal lamp voltage [V]	240

Logistic data

Product status

Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination