



Chroma-Q® Studio Force T 12 Phosphor



Extreme Output Tungsten Phosphor LED Fixture

The new Chroma-Q® Studio Force T 12 Phosphor™ is a 3,200K CCT, tungsten fixture which utilises innovative LED technologies found in the Studio Force™ range to provide an equivalent soft edge output to a fluorescent fixture - up to 8,120 lumens - developed specifically for use in TV, film and broadcast studio environments. Other features include an extremely smooth uniform wash, extra soft beam, theatrical grade dimming, laboratory calibration to match Black Body Locus. Designed for practicality, the unit is equipped with a manual control mode, colour touch screen interface, fanless, studio & full modes for maximum control of the units and a range of optional accessories.

Extreme Output

With an extreme output of up to 8,120 lumens, the Studio Force T 12 Phosphor packs an impressive punch for its size.

Multi-purpose

The Studio Force T 12 Phosphor is specifically designed for film and studio soft lighting applications.

Optional accessories include a spigot adaptor, egg crate louver, top hat, half top hat and barn door.

Colour

The Studio Force Phosphor range includes ColorSure™ technology for enhanced consistency across each light engine and when using multiple fixtures.

Optics & Dimming

The Studio Force Phosphor range's camera friendly custom optical design provides a smooth, uniform output, matched by theatrical grade dimming.

Practical & Mechanical

Optional City Theatrical Accessories



Egg crate louver



Top hat



Half top hat



Barn door



Spigot adaptor

On the outside, the Studio Force T 12 Phosphor has been designed to provide maximum versatility and ease of use. The fixture features a colour touch screen interface for easy operation and a full manual control mode.

The built-in power supply, hidden quick release fixings requiring no tools, and PowerCon and 5-pin DMX connections in and out provide fast deployment and simple cable management.

The Studio Force Phosphor range also features fanless, studio & full modes for maximum control of the units, flat end plates for seamless wall-washing and a rugged extruded aluminium body.



Hidden quick release fixings and flat end plates



Colour touch screen interface and manual mode

Key Features

- Extremely smooth uniform wash
- Extra Soft Beam
- Theatrical grade dimming
- Controllable Green/Magenta balance
- Variable frequency
- Factory calibrated to match Black Body Locus
- Very wide output
- Equal to or better output than fluorescent
- Intuitive new colour touch interface
- Alternative to fluorescent
- 300mm / 1ft* length
- PowerCon input and output for easy daisy chaining of fixtures
- Flat end plates for seamless wall-washing
- Stand alone mode
- 1 slot for Accessories
- Tool less yoke adjustment
- LED Base
- Fan less mode--studio mode and full mode
- Broad range of accessories available including Egg crate and barn doors



Studio Force T 12 Phosphor Technical Specification

| | |
|-------------------------|---|
| Product Code | CHSFTP12 |
| Net Dimensions* | 335mm x 190mm x 218mm / 13.2"x 7.5" x 8.6" |
| Net Weight | 4kgs / 9lbs |
| Shipping Dimensions | 432mm x 343mm x 279mm / 17" x 13.5" x 11" |
| Shipping Weight | 6kgs / 13lbs |
| Power Supply | Built-in |
| Power Input Rating | 100-240V AC, 50-60 Hz, 160VA |
| Power Factor | 0.998 |
| Power Consumption | 150W |
| Typical Power & Current | Measurements done with all LEDs at maximum intensity. Measurements made at nominal voltage. Allow for a deviation of +/- 10%. |
| Power Connectors In/Out | PowerCon |

| | |
|------------------------|---|
| Data Connectors In/Out | XLR 5-pin |
| Control Protocol | ANSI E1.11 USITT DMX 512-A |
| Cooling System | Forced - 1 fan |
| Operating Temperature | 0°C to 40°C |
| Construction | Anodised aluminium extrusion |
| Colour | Black |
| Built-In Hardware | Quick release lever for tilt adjustment |
| IP Rating | IP20 |
| Approvals | CISPR 22/EN55022 & CISPR 24/EN55024, ICES-003 & FCC Part 15 Subpart B, CSA C22. No.166-M1983:R2008 UL 1573:2010; UL 8750:2009 |

Control & Photometric

| | |
|-----------------|---|
| LED Engines | 2 |
| LEDs Per Engine | 24 Blue LEDs |
| Total LEDs | 48 |
| Control Modes | 1 channel Level, 1 channel Look Sel, Manual/Mstr, Slave, Look Store |
| Dimming Curve | Theatrical |

| | |
|-------------------|---------------------------------|
| Hot Lumen Output | 8,120 |
| Optics | Remote phosphor panel |
| Beam Angle | Softlight |
| Beam Distribution | Symmetrical direct illumination |
| CCT | 3,200K (+/- 200K) |
| Colour Gamut | Performance enhanced |
| CRI | 80 |
| Lamp Life | L70 at 50,000 hours |

*For exact measurements please refer to the line drawings found in the product specification sheets and manuals on www.chroma-q.com

Accessories

| | |
|-----------|--------------------------------|
| CHCFCL12 | Cyc Lens For Force 12 |
| CHCFBL12 | Border Light Lens For Force 12 |
| CHCFSA12 | Spigot Adaptor For Force 12 |
| CHCFECL12 | Egg Crate Louver For Force 12 |
| CHCFTH12 | Top Hat For Force 12 |
| CHCFHTH12 | Half Top Hat For Force 12 |

| | |
|-----------|--|
| CHCFBD12 | Barn Door For Force 12 |
| CHCFDBX | Diffuser Box For Force 12 |
| CHCFLBA12 | Lightbank Adaptor (Speedring) For Force 12 |
| CHCFLB12 | Lightbank For Force 12 |
| CHCFLBK-K | Lightbank Kit+ For Force 12 (consists of Lightbank Adaptor (Speedring) & Lightbank |

Studio Force Phosphor Range

The Studio Force T 12 Phosphor model is also available as a Studio Force V 12 Phosphor 3,200 – 5,600K CCT version and Studio Force D 12 Phosphor 5,600 CCT daylight white version.

For the latest news and information on the Chroma-Q range, visit www.chroma-q.com